

POLY[®] CONN

Servicing Your Pneumatic Needs For Over 40 Years

NICKEL BRASS PUSH TO CONNECT

EMAIL

insidesales@polyconn.com

WEBSITE

www.polyconn.com

QUESTIONS

(763) 559-0388



Features and Specifications for Nickel Plated Push to Connect Fittings

SPECIFICATIONS

TEMPERATURE RANGE	OPERATING PRESSURE	VACUUM RATING	FLUID
+23°F to +302°F (-5°C to + 150°C)	14 - 145 PSI	To 30 bar	Air, Water, Organic Solvent

UNION "Y"



Part #	PTC	QTY
PC45M-2	1/8"	5
PC45M-4	1/4"	5
PC45M-6	3/8"	5
PC45M-8	1/2"	5

"Y" CONNECTOR



Part #	PTC	NPT M	QTY
PC47M-22	1/8"	1/8"	5
PC47M-24	1/8"	1/4"	5
PC47M-42	1/4"	1/8"	5
PC47M-44	1/4"	1/4"	5
PC47M-46	1/4"	3/8"	5
PC47M-48	1/4"	1/2"	5
PC47M-62	3/8"	1/8"	5
PC47M-64	3/8"	1/4"	5
PC47M-66	3/8"	3/8"	5
PC47M-68	3/8"	1/2"	5
PC47M-82	1/2"	1/8"	5
PC47M-84	1/2"	1/4"	5
PC47M-86	1/2"	3/8"	5
PC47M-88	1/2"	1/2"	5

UNION TUBE



Part #	PTC	QTY
PC62M-22	1/8"	5
PC62M-44	1/4"	5
PC62M-66	3/8"	5
PC62M-88	1/2"	5

UNION TEE



Part #	PTC	QTY
PC64M-2	1/8"	5
PC64M-4	1/4"	5
PC64M-6	3/8"	5
PC64M-8	1/2"	5

UNION ELBOW



Part #	PTC	QTY
PC65M-22	1/8"	5
PC65M-44	1/4"	5
PC65M-66	3/8"	5
PC65M-88	1/2"	5

FEMALE CONNECTOR



Part #	PTC	NPT F	QTY
PC66M-42	1/4"	1/8"	5
PC66M-44	1/4"	1/4"	5
PC66M-64	3/8"	1/4"	5
PC66M-66	3/8"	3/8"	5
PC66M-88	1/2"	1/2"	5

MALE CONNECTOR



Part #	PTC	NPT M	QTY
PC68M-22	1/8"	1/8"	5
PC68M-24	1/8"	1/4"	5
PC68M-26	1/8"	3/8"	5
PC68M-42	1/4"	1/8"	5
PC68M-44	1/4"	1/4"	5
PC68M-46	1/4"	3/8"	5
PC68M-48	1/4"	1/2"	5
PC68M-62	3/8"	1/8"	5
PC68M-64	3/8"	1/4"	5
PC68M-66	3/8"	3/8"	5
PC68M-68	3/8"	1/2"	5
PC68M-82	1/2"	1/8"	5
PC68M-84	1/2"	1/4"	5
PC68M-86	1/2"	3/8"	5
PC68M-88	1/2"	1/2"	5

MALE ELBOW SWIVEL



Part #	PTC	NPT M	QTY
PC69MS-22	1/8"	1/8"	5
PC69MS-24	1/8"	1/4"	5
PC69MS-42	1/4"	1/8"	5
PC69MS-44	1/4"	1/4"	5
PC69MS-46	1/4"	3/8"	5
PC69MS-48	1/4"	1/2"	5
PC69MS-62	3/8"	1/8"	5
PC69MS-64	3/8"	1/4"	5
PC69MS-66	3/8"	3/8"	5
PC69MS-68	3/8"	1/2"	5
PC69MS-82	1/2"	1/8"	5
PC69MS-84	1/2"	1/4"	5
PC69MS-86	1/2"	3/8"	5
PC69MS-88	1/2"	1/2"	5

MALE TEE RUN SWIVEL



Part #	PTC	NPT M	QTY
PC71MS-22	1/8"	1/8"	5
PC71MS-24	1/8"	1/4"	5
PC71MS-42	1/4"	1/8"	5
PC71MS-44	1/4"	1/4"	5
PC71MS-46	1/4"	3/8"	5
PC71MS-48	1/4"	1/2"	5
PC71MS-62	3/8"	1/8"	5
PC71MS-64	3/8"	1/4"	5
PC71MS-66	3/8"	3/8"	5
PC71MS-68	3/8"	1/2"	5
PC71MS-82	1/2"	1/8"	5
PC71MS-84	1/2"	1/4"	5
PC71MS-86	1/2"	3/8"	5
PC71MS-88	1/2"	1/2"	5

MALE TEE BRANCH SWIVEL



Part #	PTC	NPT M	QTY
PC72MS-22	1/8"	1/8"	5
PC72MS-24	1/8"	1/4"	5
PC72MS-42	1/4"	1/8"	5
PC72MS-44	1/4"	1/4"	5
PC72MS-46	1/4"	3/8"	5
PC72MS-48	1/4"	1/2"	5
PC72MS-62	3/8"	1/8"	5
PC72MS-64	3/8"	1/4"	5
PC72MS-66	3/8"	3/8"	5
PC72MS-68	3/8"	1/2"	5
PC72MS-82	1/2"	1/8"	5
PC72MS-84	1/2"	1/4"	5
PC72MS-86	1/2"	3/8"	5
PC72MS-88	1/2"	1/2"	5

UNION BULKHEAD



Part #	PTC	QTY
PC82M-22	1/8"	5
PC82M-44	1/4"	5
PC82M-66	3/8"	5
PC82M-88	1/2"	5



Part #	PTC	QTY
PC102M-2	1/8"	5
PC102M-4	1/4"	5
PC102M-6	3/8"	5
PC102M-8	1/2"	5



Part #	PTC	NPT M	QTY
PCSC2-22MR	1/8"	1/8"	5
PCSC2-24MR	1/8"	1/4"	5
PCSC2-42MR	1/4"	1/8"	5
PCSC2-44MR	1/4"	1/4"	5
PCSC2-46MR	1/4"	3/8"	5
PCSC2-48MR	1/4"	1/2"	5
PCSC2-62MR	3/8"	1/8"	5
PCSC2-64MR	3/8"	1/4"	5
PCSC2-66MR	3/8"	3/8"	5
PCSC2-68MR	3/8"	1/2"	5
PCSC2-84MR	1/2"	1/4"	5
PCSC2-86MR	1/2"	3/8"	5
PCSC2-88MR	1/2"	1/2"	5

POLY[®]CONN

Servicing Your Pneumatic Needs For Over 40 Years

Now that you have your Nickel Plated Brass Push to Connect Fittings, don't forget your tubing! And check out our Miniature Barbed Fittings!



**POLY[®]
CONN**

Servicing Your Pneumatic Needs For Over 40 Years

**Polyconn[®] the one-stop shop for your
pneumatic needs.**